

Corrections

Correction in the article “Spanish Catheter Ablation Registry. 10th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2010)”, Rev Esp Cardiol. 2011;64:1147-53

In the article by Macías Gallego et al., entitled “Spanish Catheter Ablation Registry. 10th Official Report of the Spanish Society of Cardiology Working Group on Electrophysiology and Arrhythmias (2010)”, published in Rev Esp Cardiol. 2011;64:1147-53, errors have been detected in Figure 5, in bars 2, 3, 5, and 6.

The Figure should appear as follows:




Figure 5. Relative frequency of different substrates treated by catheter ablation in Spain during 2010 (*pie diagram*). For each substrate, the total number of cases performed in 2010 is shown. In the upper part of the bars, the percentage change from the 2009 registry is shown. AF, atrial fibrillation; AP, accessory pathways; AVN, atrioventricular node; AVNRT, atrioventricular nodal reentrant tachycardia; CTI, cavotricuspid isthmus; FAT, focal atrial tachycardia; IVT, idiopathic ventricular tachycardia; MAT, macroreentrant atrial tachycardia / atypical atrial flutter; VT-AMI, ventricular tachycardia with acute postinfarction scarring; VT-HD, ventricular tachycardia associated with heart disease.

This correction, properly documented, has been included in the electronic version of the article, dated 02-04-2012.

SEE RELATED ARTICLE:
<http://dx.doi.org/10.1016/j.rec.2011.08.008>