

Corrections

Correction in article by Baka et al. “Consideration of nondipping heart rate during ambulatory blood pressure monitoring to improve cardiovascular risk assessment”, *Rev Esp Cardiol.* 2022;75:355-356



Corrección en el artículo de Baka et al. «La frecuencia cardiaca nondipper durante la monitorización ambulatoria de la presión arterial mejora la estratificación del riesgo cardiovascular», *Rev Esp Cardiol.* 2022;75:355-356

The publisher would like to notify of an error in the typesetting of the PDF of the article “Consideration of nondipping heart rate during ambulatory blood pressure monitoring to improve cardiovascular risk assessment”, which affected the authorship line and the affiliations in the Spanish version. The correct authors and affiliations that should appear are:

Tomas Baka,^a Alberto Domínguez-Rodríguez,^{b,c} and Fedor Simko^{a,d,e,*}

^a Institute of Pathophysiology, Faculty of Medicine, Comenius University, Bratislava, Slovakia

^b Servicio de Cardiología, Hospital Universitario de Canarias, San Cristóbal de La Laguna, Santa Cruz de Tenerife, Spain

^c Departamento de Enfermería, Facultad de Ciencias de la Salud, Universidad de La Laguna, San Cristóbal de La Laguna, Santa Cruz de Tenerife, Spain

^d 3rd Department of Internal Medicine, Faculty of Medicine, Comenius University, Bratislava, Slovakia

^e Institute of Experimental Endocrinology, Biomedical Research Center, Slovak Academy of Sciences, Bratislava, Slovakia

* Corresponding author.

E-mail address: fedor.simko@fmed.uniba.sk (F. Simko).

SEE RELATED CONTENT:

<https://doi.org/10.1016/j.rec.2021.11.011>

<https://doi.org/10.1016/j.rec.2022.07.015>

1885-5857/© 2022 Sociedad Española de Cardiología. Published by Elsevier España, S.L.U. All rights reserved.